

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	107	S3 and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/20 12:02
S7	441	S6 and (multi\$1cast or broad\$1cast) and (registr\$4 or look\$1up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/20 12:07
S8	107	S7 and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/20 12:09
S10	2	("5475819").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 11:13
S17	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 15:51
S18	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 16:07
S19	28	method with wide with area with network with service with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/22 11:11
S20	2	"6446108".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/22 11:14

EAST Search History

S21	2	S20 and service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/22 11:15
S22	2	("20020055985").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:32
S23	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/23 14:27
S25	2	"4823122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/23 16:30
S26	315	Jini and (look\$1up or directory or registry) and client and serv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/23 16:32
S28	125	client and serv\$4 and ((multicast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/23 17:14
S29	127	client and serv\$4 and ((multi\$1cast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/23 17:15
S30	407	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 13:43

EAST Search History

S31	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/25 16:43
S32	2	"6393497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/25 17:46
S33	3	"6708171".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/25 18:00
S34	355	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/25 22:41
S35	244	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look\$1up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/25 22:41
S37	1499	delete\$1 same (service object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 01:05
S40	202	client and serv\$4 and (multi\$1cast or broad1\$cast) and (service near4 discovery) not look1\$up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 13:46
S44	322	S43 and object and ("remote procedure call" or RPC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 18:40

EAST Search History

S46	975	S43 and discover\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 18:58
S48	73	S46 and Jini\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 18:52
S49	2256	S43 and (discover\$1 or locate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 18:59
S51	671	S43 and ((discovery near4 servic\$2) or (locat\$5 near4 servi\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 19:11
S52	967	S43 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 19:17
S53	801	S43 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:18
S54	128	S53 and discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 21:16
S55	967	S43 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 21:13

EAST Search History

S56	801	S43 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 21:15
S57	138	S53 and discovery same multi\$1cast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/26 21:16
S75	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 23:44
S76	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 23:44
S10 1	3110	S92 and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/05/18 23:44
S11 3	133	(service with (discover\$ or locat\$3 or find\$3 or regist\$6) with network).ab. and (service with (look\$up or directory data\$base))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/19 19:31
S12 1	7	(service with (discover\$ or locat\$3 or find\$3 or regist\$6)).ab. and (((service with (look\$up or directory or data\$base)) same ((client or user) with service with (request\$3 or quer\$3)) same (("not" adj avail\$5) or unavailable)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/19 20:13
S12 6	4	(client or user) with (broad\$cast\$3 or multi\$cast\$3) with service with (request\$3 or quer\$3) with network and Jini	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/19 22:31

EAST Search History

S12 7	1	"6598094".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/20 12:57
S12 8	1	"20020055985".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/20 13:22
S12 9	0	("(look\$upadj(serviceorserver))with (unavailableor(notadjavaavailable))"). PN.	USPAT	OR	OFF	2005/10/30 23:27
S13 0	1	(look\$up adj (service or server)) with (unavailable or ("not available"))	USPAT	AND	ON	2005/10/30 23:35
S13 1	3	(look\$up adj (service or server)) with (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/31 00:04
S13 2	294	service same discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/30 23:38
S13 3	140	service with discovery with multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/30 23:42
S13 4	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/31 00:04
S13 5	35	(service with discovery with multicast\$)	USPAT	AND	ON	2005/10/30 23:45
S13 7	15	(service with discovery with multicast\$) (service adj object) look\$up	USPAT	AND	ON	2005/10/30 23:50
S13 8	58	(look\$up with (service or server)) same (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/31 00:05

EAST Search History

S13 9	18	(look\$up with (service or server)) same (unavailable or ("not available")) multi\$cast\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/31 00:05
S14 0	61	(look\$up with (unavailable or ("not available"))))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/31 22:37
S14 1	1	"6604140".pn.	USPAT	AND	ON	2005/10/31 22:37
S14 2	4271	((service adj1 object) or RPC or "remote procedure call")	USPAT	AND	ON	2005/10/31 22:42
S14 3	315	((service adj1 object) or RPC or "remote procedure call") multicast\$	USPAT	AND	ON	2005/10/31 22:42
S14 4	14	((service adj1 object) or RPC or "remote procedure call") multicast\$ SLP	USPAT	AND	ON	2005/10/31 22:42
S14 5	11	(Jini with technology) (service with multicast\$ with request\$)	USPAT	AND	ON	2005/10/31 23:40
S14 6	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/11/01 00:09
S14 7	4304	709/203,226.ccls.	USPAT	AND	ON	2006/03/30 01:21
S14 8	26	709/203,226.ccls. Jini and (look\$1up or directory or registry) and client and serv\$4	USPAT	AND	ON	2006/03/30 01:21
S14 9	29	"S92" and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S15 0	1	"20020055985".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/03/30 01:24
S15 1	1	"6598094".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S15 2	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S15 3	2	"4823122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S15 4	446	Jini and (look\$1up or directory or registry) and client and serv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S15 5	2	("20020055985").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 01:24
S15 6	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 01:24
S15 7	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 01:24
S15 8	2	("5475819").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 01:24
S15 9	307	"S6" and (multi\$1cast or broad\$1cast) and (registr\$4 or look\$1up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S16 0	6	S159 and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 1	307	"S6" and (multi\$1cast or broad\$1cast) and (registr\$4 or look\$1up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 2	211	client and serv\$4 and ((multicast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 3	214	client and serv\$4 and ((multi\$1cast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 4	702	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 5	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 6	417	"S3" and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 7	2	"6393497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S16 8	3	"6708171".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S16 9	346	client and serv\$4 and (multi\$1cast or broad1\$cast) and (service near4 discovery) not look1\$up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 0	104	"S42" and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 1	16	S170 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 2	15	S170 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 3	0	S172 and discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 4	0	S172 and discovery same multi\$1cast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 5	15	S170 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S17 6	16	S170 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 7	15	S170 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S17 8	7	(client or user) with (broad\$cast\$3 or multi\$cast\$3) with service with (request\$3 or quer\$3) with network and Jini	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/03/30 01:24
S17 9	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 01:24
S18 0	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 01:24
S18 1	37	method with wide with area with network with service with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 2	2	"6446108".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 3	2	S182 and service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S18 4	2	"6446108".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 5	621	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 6	446	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look\$1up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 7	1976	delete\$1 same (service object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 8	1	S170 and object and ("remote procedure call" or RPC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S18 9	7	S170 and discover\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S19 0	0	S189 and Jini\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S19 1	9	(service with (discover\$ or locat\$3 or find\$3 or regist\$6)).ab. and (((service with (look\$up or directory or data\$base)) same ((client or user) with service with (request\$3 or quer\$3)) same (("not" adj avail\$5) or unavailable)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S19 2	41	S170 and (discover\$1 or locate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S19 3	7	S170 and discover\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S19 4	8	S170 and ((discovery near4 servic\$2) or (locat\$5 near4 servi\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 01:24
S19 5	170	(service with (discover\$ or locat\$3 or find\$3 or regist\$6) with network).ab. and (service with (look\$up or directory data\$base))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/03/30 01:24
S19 6	0	("(look\$upadj(serviceorserver))with (unavailableor(notadjavailable))"). PN.	USPAT	OR	OFF	2006/03/30 01:24
S19 7	1	(look\$up adj (service or server)) with (unavailable or ("not available"))	USPAT	AND	ON	2006/03/30 01:24
S19 8	3	(look\$up adj (service or server)) with (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S19 9	326	service same discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S20 0	156	service with discovery with multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S20 1	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24

EAST Search History

S20 2	41	(service with discovery with multicast\$)	USPAT	AND	ON	2006/03/30 01:24
S20 3	18	(service with discovery with multicast\$) (service adj object) look\$up	USPAT	AND	ON	2006/03/30 01:24
S20 4	62	(look\$up with (service or server)) same (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S20 5	18	(look\$up with (service or server)) same (unavailable or ("not available")) multi\$cast\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S20 6	68	(look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S20 7	1	"6604140".pn.	USPAT	AND	ON	2006/03/30 01:24
S20 8	4503	((service adj1 object) or RPC or "remote procedure call")	USPAT	AND	ON	2006/03/30 01:24
S20 9	18	((service adj1 object) or RPC or "remote procedure call") multicast\$ SLP	USPAT	AND	ON	2006/03/30 01:24
S21 0	336	((service adj1 object) or RPC or "remote procedure call") multicast\$	USPAT	AND	ON	2006/03/30 01:24
S21 1	14	(Jini with technology) (service with multicast\$ with request\$)	USPAT	AND	ON	2006/03/30 01:24
S21 2	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/03/30 01:24
S21 3	37	"S92" and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S21 4	1	"20020055985".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:35

EAST Search History

S21 5	1	"6598094".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:35
S21 6	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S21 7	2	"4823122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S21 8	498	Jini and (look\$1up or directory or registry) and client and serv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S21 9	2	("20020055985").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:35
S22 0	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:35
S22 1	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:35
S22 2	2	("5475819").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:35

EAST Search History

S22 3	344	"S6" and ((multicast or broadcast) and (registered or lookup))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S22 4	7	S223 and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S22 5	252	client and serv4 and ((multicast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S22 6	252	client and serv4 and ((multicast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S22 7	820	client and serv4 and ((multicast or broadcast) and (service near4 discovery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S22 8	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:35
S22 9	454	"S3" and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 0	2	"6393497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S23 1	3	"6708171".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 2	404	client and serv\$4 and (multi\$1cast or broad1\$cast) and (service near4 discovery) not look1\$up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 3	119	"S42" and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 4	18	S233 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 5	16	S233 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 6	0	S235 and discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 7	0	S235 and discovery same multi\$1cast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S23 8	16	S233 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S23 9	18	S233 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S24 0	7	(client or user) with (broad\$cast\$3 or multi\$cast\$3) with service with (request\$3 or quer\$3) with network and Jini	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S24 1	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S24 2	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S24 3	38	method with wide with area with network with service with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S24 4	2	"6446108".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S24 5	2	S244 and service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S24 6	726	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S24 7	528	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look\$1up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S24 8	2265	delete\$1 same (service object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S24 9	1	S233 and object and ("remote procedure call" or RPC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S25 0	9	S233 and discover\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S25 1	0	S250 and Jini\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S25 2	9	(service with (discover\$ or locat\$3 or find\$3 or regist\$6)).ab. and (((service with (look\$up or directory or data\$base)) same ((client or user) with service with (request\$3 or quer\$3)) same (("not" adj avail\$5) or unavailable)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S25 3	48	S233 and (discover\$1 or locate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S25 4	8	S233 and ((discovery near4 servic\$2) or (locat\$5 near4 servi\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S25 5	191	(service with (discover\$ or locat\$3 or find\$3 or regist\$6) with network).ab. and (service with (look\$up or directory data\$base))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S25 6	0	("(look\$upadj(serviceorserver))with (unavailableor(notadjavailable))"). PN.	USPAT	OR	OFF	2006/10/26 01:36
S25 7	1	(look\$up adj (service or server)) with (unavailable or ("not available"))	USPAT	AND	ON	2006/10/26 01:36
S25 8	3	(look\$up adj (service or server)) with (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S25 9	388	service same discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S26 0	191	service with discovery with multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S26 1	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S26 2	52	(service with discovery with multicast\$)	USPAT	AND	ON	2006/10/26 01:36
S26 3	22	(service with discovery with multicast\$) (service adj object) look\$up	USPAT	AND	ON	2006/10/26 01:36
S26 4	66	(look\$up with (service or server)) same (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S26 5	18	(look\$up with (service or server)) same (unavailable or ("not available")) multi\$cast\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S26 6	75	(look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S26 7	1	"6604140".pn.	USPAT	AND	ON	2006/10/26 01:36
S26 8	4916	((service adj1 object) or RPC or "remote procedure call")	USPAT	AND	ON	2006/10/26 01:36
S26 9	25	((service adj1 object) or RPC or "remote procedure call") multicast\$ SLP	USPAT	AND	ON	2006/10/26 01:36
S27 0	392	((service adj1 object) or RPC or "remote procedure call") multicast\$	USPAT	AND	ON	2006/10/26 01:36
S27 1	17	(Jini with technology) (service with multicast\$ with request\$)	USPAT	AND	ON	2006/10/26 01:36
S27 2	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S27 3	4943	709/203,226.ccls.	USPAT	AND	ON	2006/10/26 01:36
S27 4	30	709/203,226.ccls. Jini and (look\$1up or directory or registry) and client and serv\$4	USPAT	AND	ON	2006/10/26 01:36
S27 5	344	"S6" and (multi\$1cast or broad\$1cast) and (registr\$4 or look\$1up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S27 6	119	"S42" and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S27 7	16	S276 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S27 8	0	S277 and discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S27 9	0	S277 and discovery same multi\$1cast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S28 0	2	"6446108".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S28 1	9	S276 and discover\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S28 2	0	S281 and Jini\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S28 3	0	("(look\$upadj(serviceorserver))with (unavailableor(notad\$available))"). PN.	USPAT	OR	OFF	2006/10/26 01:36
S28 4	388	service same discovery same multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S28 5	191	service with discovery with multicast	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S28 6	66	(look\$up with (service or server)) same (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S28 7	75	(look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S28 8	4916	((service adj1 object) or RPC or "remote procedure call")	USPAT	AND	ON	2006/10/26 01:36
S28 9	1	"20020055985".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S29 0	1	"6598094".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S29 1	1	S276 and object and ("remote procedure call" or RPC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S29 2	1	(look\$up adj (service or server)) with (unavailable or ("not available"))	USPAT	AND	ON	2006/10/26 01:36
S29 3	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S29 4	1	"6604140".pn.	USPAT	AND	ON	2006/10/26 01:36
S29 5	1	(service with discovery with multicast) same (look\$up with (unavailable or ("not available")))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S29 6	37	"S92" and (multi\$1cast or broad1\$cast) and (regist\$4 or director\$4 or look1\$up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S29 7	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S29 8	2	"4823122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S29 9	2	("20020055985").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S30 0	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S30 1	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S30 2	2	("5475819").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S30 3	7	S275 and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S30 4	2	"6185611".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S30 5	2	"6393497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S30 6	3	"6708171".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S30 7	18	S276 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S30 8	16	S276 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S30 9	18	S276 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S31 0	16	S276 and ((discovery near2 (servic\$2 or resourc\$2)) or (locat\$5 near2 (servi\$2 or resourc\$2))) and (Jini\$1 or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S31 1	7	(client or user) with (broad\$cast\$3 or multi\$cast\$3) with service with (request\$3 or quer\$3) with network and Jini	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S31 2	2	("6446108").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36
S31 3	2	("5329619").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 01:36

EAST Search History

S31 4	38	method with wide with area with network with service with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S31 5	2	S280 and service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S31 6	2	"6446108".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S31 7	9	(service with (discover\$ or locat\$3 or find\$3 or regist\$6)).ab. and (((service with (look\$up or directory or data\$base)) same ((client or user) with service with (request\$3 or quer\$3)) same (("not" adj avail\$5) or unavailable)))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S31 8	48	S276 and (discover\$1 or locate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S31 9	9	S276 and discover\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S32 0	8	S276 and ((discovery near4 servic\$2) or (locat\$5 near4 servi\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S32 1	3	(look\$up adj (service or server)) with (unavailable or ("not available"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S32 2	52	(service with discovery with multicast\$)	USPAT	AND	ON	2006/10/26 01:36

EAST Search History

S32 3	22	(service with discovery with multicast\$) (service adj object) look\$up	USPAT	AND	ON	2006/10/26 01:36
S32 4	18	(look\$up with (service or server)) same (unavailable or ("not available")) multi\$cast\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2006/10/26 01:36
S32 5	25	((service adj1 object) or RPC or "remote procedure call") multicast\$ SLP	USPAT	AND	ON	2006/10/26 01:36
S32 6	17	(Jini with technology) (service with multicast\$ with request\$)	USPAT	AND	ON	2006/10/26 01:36
S32 7	191	(service with (discover\$ or locat\$3 or find\$3 or regist\$6) with network).ab. and (service with (look\$up or directory data\$base))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2006/10/26 01:36
S32 8	252	client and serv\$4 and ((multicast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S32 9	252	client and serv\$4 and ((multi\$1cast or broadcast) same service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 0	344	"S6" and (multi\$1cast or broad\$1cast) and (registr\$4 or look\$1up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 1	404	client and serv\$4 and (multi\$1cast or broad\$1cast) and (service near4 discovery) not look1\$up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 2	392	((service adj1 object) or RPC or "remote procedure call") multicast\$	USPAT	AND	ON	2006/10/26 01:36
S33 3	498	Jini and (look\$1up or directory or registry) and client and serv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36

EAST Search History

S33 4	454	"S3" and ((service adj1 object) or RPC or "remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 5	528	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look\$1up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 6	726	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery) not look-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 7	820	client and serv\$4 and (multi\$1cast or broadcast) and (service near4 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:36
S33 8	2265	delete\$1 same (service object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:50
S33 9	16511	(709/226,220,250,221,217 or 707/10).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:51
S34 0	4269	(709/226,220,250,221,217 or 707/10).ccls. (service with (discover\$ or locat\$3 or find\$3 or regist\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:52
S34 1	409	(709/226,220,250,221,217 or 707/10).ccls. (service with (discover\$ or locat\$3 or find\$3 or regist\$6)).ab.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/26 01:52

EAST Search History

S34 2	60	(709/226,220,250,221,217 or 707/10).ccls. (service with (discover\$ or locat\$3 or find\$3 or regist\$6)).ab,ti. multicast\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:43
S34 3	1	ingraham.in. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:44
S34 4	523	najjar.xa. or najjar.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:44
S34 5	5	S344 and (count same click)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:51
S34 6	0	S344 and (count same keyboard same strokes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:52
S34 7	0	"709"/\$.ccls. and (count same keyboard same strokes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:54
S34 8	3	"709"/\$.ccls. and (count same keyboard same activity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/27 07:54